

Firestone
BUILDING PRODUCTS
NOBODY COVERS YOU BETTER.™



Firestone RubberGard™ EPDM Accessories

ENHANCE THE PERFORMANCE OF YOUR ROOF WITH PRODUCTS
THAT GO ABOVE AND BEYOND.



Firestone RubberGard™ EPDM Accessories

We've got you completely covered.

With more than 35 years in EPDM Roofing, Firestone Building Products has a proven track record for manufacturing products with superior durability, flexibility and UV resistance. We are proud to provide our customers with a line of RubberGard EPDM membranes and accessories that are backed by a history of excellence and the exclusive Red Shield™ Warranty. See what solutions we've delivered to exceed our valued partner's expectations—and can easily bring to you.



ADHESIVES

RubberGard EPDM Bonding Adhesive BA 2004-T

- A solvent-based contact adhesive designed specifically for bonding RubberGard EPDM membranes and flashings to approved substrates



LOW VOLATILE ORGANIC COMPOUNDS (LVOC) ADHESIVES

Single-Ply LVOC Bonding Adhesive

- Can be applied in cold weather, unlike water-based adhesives
- Low VOC content < 250 g/L



Single-Ply LVOC Bonding Adhesive – 1168

- Formulated for special LVOC applications
- Complies with SCAQMD Rule 1160 for low-emitting materials and LEED® requirements
- Low VOC content < 250 g/L

RubberGard EPDM Solvent-Free BA

- Polymer-based bonding adhesive for adhering non-reinforced RubberGard EPDM membranes to approved substrates on vertical and horizontal applications
- No VOC content

Water-Based Bonding Adhesive P

- Water-based alternative to traditional, solvent-based adhesives
- Pink flash off color change indicator

PRIMERS

QuickPrime™ Plus

- For cleaning and priming approved Firestone membranes prior to application of QuickSeam™ product



QuickPrime Plus LVOC

- For cleaning and priming RubberGard EPDM membrane and RubberGard EcoWhite EPDM membrane prior to application of QuickSeam products
- Low VOC content < 250 g/L

Single-Ply LVOC Primer

- Solvent-based primer designed to clean and prime single-ply membranes to receive QuickSeam tape products/accessories
- Low VOC content < 250 g/L

Splice Wash SW-100

- For cleaning and preparing Firestone single-ply membranes to receive adhesives (as required by Firestone Specifications and Details)

SA Solvent-Based Primer

- Contains synthetic polymers and adhesion-enhancing resins
- For priming and preparing exterior concrete, metal, wood, plywood and gypsum surfaces to enhance the adhesion

SEALANTS

Lap Sealant HS

- LVOC sealant designed for use with Firestone Splice Adhesive SA-1065 for seam edge treatment applications and as a sealant in other applications

EcoWhite™ EPDM Lap Sealant

- LVOC sealant designed for seam edge treatment and other applications (as required by Firestone Specifications and Details)



Pourable Sealer S-10 (Parts A & B)

- Two-component sealer designed to create a watertight seal around small pipe penetrations, clusters of pipes, I-beams, etc., in a penetration pocket detail



FillGard™ M Pourable Sealer


- Two-component polyurethane sealant designed for sealing penetration pockets in conjunction with Firestone EPDM roofing systems

SUSTAINABLE PRODUCTS


SkyScape™ Vegetative Roof Systems

- Full range of design solutions that are easy to install, meet or exceed all major performance criteria, and are covered by the strength of the Firestone Red Shield Warranty

Modular Tray




Built-In-Place Systems



SunWave™ Daylighting Systems

- Premium daylighting product for the commercial roofing industry
- Provides the highest visible light transmittance with superior light distribution (compared to sunlight domes)



METAL ROOF EDGE SYSTEMS

Firestone Building Products offers a full line of Metal Edge Systems including:

- Fascia
- Drip Edge
- Gravel Stop
- Coping
- Much more

Please visit firestonebpco.com to see more details on this offering.



MEMBRANE FLASHING



RubberGard EcoWhite QuickSeam Flashing

- Semi-cured EPDM flashing laminated to cured QuickSeam Tape
- Available in 5" x 100' (QuickSeam) and 6" x 100' (EcoWhite QuickSeam) rolls



QuickSeam Batten Cover

- Semi-cured EPDM and QuickSeam Tape laminated
- Designed to cover and seal batten strips



QuickSeam Reinforced Perimeter Fastening (RPF) Strip

- 6"-wide, reinforced EPDM membrane for use in non-penetration base tie-ins



RubberGard EcoWhite QuickSeam Pipe and Conduit Flashing

- Used in roofing applications for flashing of round penetrations
- Used to flash round pipes (between 1" to 6 7/8" pipes) and conduit (between 1/2" to 2 1/2")



RubberGard EcoWhite QuickSeam Curb Flashing

- 18"-wide, 60-mil, non-reinforced membrane with 3"-wide tape factory-laminated along one edge
- 3"-tape portion is used to splice the QuickSeam curb flashing to the roof membrane



RubberGard EcoWhite QuickSeam SA Flashing

- 18"-wide (457.2 mm) membrane fully and completely factory-laminated to EcoWhite seam tape
- Can be used to flash curbs and walls in conjunction with EcoWhite roofing systems



RubberGard EcoWhite QuickSeam Joint Cover

- Uncured flashing laminated QuickSeam Tape with second 3"-diameter layer of uncured, flowing tape applied at the center
- Conforms to irregular surfaces such as "T" joints, readily providing an excellent seal




RubberGard EcoWhite QuickSeam Corner Flashing

- 8.5" (216 mm) in diameter, consists of Firestone flashing factory-laminated to QuickSeam Tape
- Designed to flash inside and outside corners in conjunction with EPDM Roof Systems



RubberGard EPDM FormFlash™

- Uncured flashing membrane that cures in place after installation
- Used with Firestone Splice Adhesive SA 1065
- Used to flash inside and outside corners, pipes, penetration pockets and other applications (as required by Firestone Specifications and Details)



RubberGard EcoWhite QuickSeam SA Patch for Conduit Flashing

- Designed as a tape adhesive to field-splice QS Patch for Conduit Flashing to primed flanges of QuickSeam Conduit flashing and RubberGard membrane

QUICKSEAM™ ACCESSORIES

TAPE

RubberGard R.M.A. Strip

- 10"-wide RubberGard MAX membrane with two 3"-wide strips of QuickSeam Tape factory-laminated to it along its length
- Used for roof membrane attachment beneath the RubberGard EPDM membrane as additional membrane securement



QuickSeam Splice Tape

- Designed for field splicing of membrane panels and flashing



OTHER PRODUCTS

QuickSeam Walkway Pad

- A high-quality rubber walkway pad with QuickSeam Tape factory-laminated to the bottom



EcoWhite EPDM Penetration Pocket Kits

- A labor-saving option to fabricate penetration pockets
- Utilizes QuickSeam Tape technology and injection molding technology, ensuring uniform product quality and consistency, part after part



Firestone

BUILDING PRODUCTS

NOBODY COVERS YOU BETTER.™



Partnering with Firestone Building Products means superior support that goes beyond the materials you need for your projects. We look at the big picture with you, taking the entire building envelope into consideration, so we can provide you with a complete solution. For exceptionally performing building materials backed by the services, warranty and expertise you need, count on Firestone. Because...

NOBODY COVERS YOU BETTER™



For more information, ask your local Firestone
Sales Rep or visit FIRESTONEBPCO.COM.

FIRESTONE BUILDING PRODUCTS
250 WEST 96TH ST., INDIANAPOLIS, IN 46260
CORPORATE OFFICE: (800) 428-4442 • (317) 575-7000

 /FirestoneBuildingProducts  @FirestoneBPCo

Note: This brochure is meant only to highlight Firestone's products and specifications. Information is subject to change without notice. ALL products and specifications are listed in approximate weights and measurements. For complete product and detail information, please refer to the Technical Manual. Firestone takes responsibility for furnishing quality materials which meet Firestone's published product specifications. As neither Firestone itself nor its representatives practice architecture, Firestone offers no opinion on, and expressly disclaims any responsibility for, the soundness of any structure on which its products may be applied. If questions arise as to the soundness of a structure or its ability to support a planned installation properly, the owner should obtain opinions of competent structural engineers before proceeding. Firestone accepts no liability for any structural failure or for resultant damages, and no Firestone representative is authorized to vary this disclaimer.



Printed on
Recycled Paper

